

Design and innovation

adiate[®]*K*




Price List Export
DIRECTIONAL 2020

01° EDITION	OD01 Machines prices list A202 Accessories prices list 019A Spare parts prices list
--------------------	--

Valid from:	01-01-2020
--------------------	-------------------

Revision date	01-01-2020
----------------------	-------------------

LEGEND

CODE	VERSION
	Standard Adiatek
	Battery charger predisposition
	Dosing System predisposition

baby-e



Theoretical working capacity

1240 m²/h



Walk behind machine
without traction



Battery autonomy
...



Operating tension
230 V, 50 Hz



Cleaning width
345 mm



Solution
tank / recovery tank
12,5 / 13,5 l



Disc brush
1 x 345 mm



Brush pressure
adjustable
30 kg



Brush speed
145 rpm



Video and other

CODE: K1100001/ 

MODEL: baby 230V with brush and cable

Packing costs included

BRUSHES



Q.ty: 1 Code: 48903070
Brush PPL 0.4 Ø345 mm



Q.ty: 1 Code: 48903020
Brush PPL 0.6 Ø345 mm
Included



Q.ty: 1 Code: 48903030
Brush PPL 0.9 Ø345 mm



Q.ty: 1 Code: 48903050
Brush 5-MIX Ø345 mm



Q.ty: 1 Code: 48803010
Pad holder Ø330 mm



Q.ty: 1 Code: 48803030
Pad holder Ø330 mm +
center lock green

BATTERIES

ACCESSORIES

Q.ty: 1 Code: V1002001
Splash guard kit baby

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

baby



Theoretical working capacity

1240 m²/h



Walk behind machine
without traction



Battery autonomy
60 - 75 min.



Operating tension
24 V / 28 Ah



Cleaning width
345 mm



Solution
tank / recovery tank
15 / 16 l



Disc brush
1 x 345 mm




Brush pressure
adjustable
25 kg



Brush speed
170 rpm



Video and other

CODE: K1000001/ 

MODEL: baby (with batteries AGM 12 V 28Ah, cable 2m, battery charger and brush)

Packing costs included

BRUSHES



Q.ty: 1 Code: 48903070
Brush PPL 0.4 Ø345 mm



Q.ty: 1 Code: 48903020
Brush PPL 0.6 Ø345 mm
Included



Q.ty: 1 Code: 48903030
Brush PPL 0.9 Ø345 mm



Q.ty: 1 Code: 48903050
Brush 5-MIX Ø345 mm



Q.ty: 1 Code: 48803010
Pad holder Ø330 mm



Q.ty: 1 Code: 48803030
Pad holder Ø330 mm +
center lock green

BATTERIES

Q.ty: 2 Code: 64520030
Battery AGM 12V 28/5 Ah
Included

BATTERY CHARGER

Q.ty: 1 Code: 64602021
Battery charger 24V-5A
(on board baby)
Included

ACCESSORIES

Q.ty: 1 Code: V1002001
Splash guard kit baby

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

baby plus Li



Theoretical working capacity

1240 m²/h



Walk behind machine
without traction



Battery autonomy
2h + power cable



Operating tension
24 V / 40 Ah + cable



Cleaning width
345 mm



Solution
tank / recovery tank
15 / 16 l



Disc brush
1 x 345 mm




Brush pressure
adjustable
25 kg



Brush speed
170 rpm



Video and other

CODE: K1000012/ 

MODEL: baby plus litio

with battery Lithium, cable 20m, battery charger and brush.

Packing costs included

BRUSHES



Q.ty: 1 Code: 48903070
Brush PPL 0.4 Ø345 mm



Q.ty: 1 Code: 48903020
Brush PPL 0.6 Ø345 mm
Included



Q.ty: 1 Code: 48903030
Brush PPL 0.9 Ø345 mm



Q.ty: 1 Code: 48903050
Brush 5-MIX Ø345 mm



Q.ty: 1 Code: 48803010
Pad holder Ø330 mm



Q.ty: 1 Code: 48803030
Pad holder Ø330 mm +
center lock green

BATTERIES

Q.ty: 1 Code: 64540003
Battery Lithium 24V 39,6Ah
Included

BATTERY CHARGER

Q.ty: 1 Code: 64602037
Battery charger 24V 18A-25A
baby plus Li
Included

ACCESSORIES

Q.ty: 1 Code: V1002001
Splash guard kit baby

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

baby 43



Theoretical working capacity

1500 m²/h



Walk behind machine
without traction



Battery autonomy
75 min.



Operating tension
24 V / 40 Ah



Cleaning width
430 mm



Solution
tank / recovery tank
23 / 23 l



Disc brush
1 x 430 mm




Brush pressure
adjustable
35 kg



Brush speed
150 rpm



Video and other

CODE: K1300001/ 

MODEL: baby 43 (complete with batteries AGM 12 V 34 Ah, cable 2m, battery recharger and brush)

Packing costs included

BRUSHES



Q.ty: 1 Code: 48903120
Brush PPL 0.6 Ø430 mm
Included



Q.ty: 1 Code: 48903130
Brush PPL 0.9 Ø430 mm



Q.ty: 1 Code: 48903150
Brush 5-MIX Ø430 mm



Q.ty: 1 Code: 48903140
Brush TYNEX Ø430 mm



Q.ty: 1 Code: 48803020
Pad holder Ø425 mm



Q.ty: 1 Code: 48803050
Pad holder Ø425 mm +
center lock green

BATTERIES

Q.ty: 2 Code: 64520050
Batteries AGM 12V 34/5Ah
Included

BATTERY CHARGER

Q.ty: 1 Code: 64602021
Battery charger 24V-5A
(on board baby)
Included

ACCESSORIES

Q.ty: 1 Code: V1302001
Splash guard kit baby 43

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

baby 43 Li



Theoretical working capacity

1500 m²/h



Walk behind machine
without traction



Battery autonomy
105 min.



Operating tension
24 V / 40 Ah



Cleaning width
430 mm



Solution
tank / recovery tank
23 / 23 l



Disc brush
1 x 430 mm




Brush pressure
adjustable
35 kg



Brush speed
150 rpm



Video and other

CODE: K1300012/ 

MODEL: baby 43 litio

complete with battery Lithium, cable 2m, battery recharger and brush

Packing costs included

BRUSHES



Q.ty: 1 Code: 48903120
Brush PPL 0.6 Ø430 mm
Included



Q.ty: 1 Code: 48903130
Brush PPL 0.9 Ø430 mm



Q.ty: 1 Code: 48903150
Brush 5-MIX Ø430 mm



Q.ty: 1 Code: 48903140
Brush TYNEX Ø430 mm



Q.ty: 1 Code: 48803020
Pad holder Ø425 mm



Q.ty: 1 Code: 48803050
Pad holder Ø425 mm +
center lock green

BATTERIES

Q.ty: 1 Code: 64540003
Battery Lithium 24V 39,6Ah
Included

BATTERY CHARGER

Q.ty: 1 Code: 64602034
Battery charger
24V 25A HF Lithium
Included

ACCESSORIES

Q.ty: 1 Code: V1302001
Splash guard kit baby 43

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

ruby 45



Theoretical working capacity

1575 m²/h



Walk behind machine
without traction



Battery autonomy
2 - 4 h



Operating tension
24 V / 110 Ah



Cleaning width
450 mm



Solution
tank / recovery tank
40 / 45 l



Disc brush
2 x 235 mm



Brush pressure
adjustable
max. 22,5 kg



Brush speed
350 rpm



Video and other

CODE: K0100001/

MODEL: ruby 45 with solenoid valve, with hour meter
without brush, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48901040
Brush NYLON 0.5 Ø235 mm



Q.ty: 2 Code: 48901010
Brush PPL 0.3 Ø235 mm



Q.ty: 2 Code: 48901050
Brush PPL 0.6 Ø235 mm



Q.ty: 2 Code: 48901080
Brush PPL 0.9 Ø235 mm



Q.ty: 2 Code: 48901070
Brush 5-MIX Ø235 mm



Q.ty: 2 Code: 48901060
Brush TYNEX Ø235 mm



Q.ty: 2 Code: 48801010
Pad holder Ø230 mm +
center lock black

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: V0100011
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: V0110100
Kit solution saving system ruby 45

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby
€

Q.ty: 1 Code: V0100001
Key switch

Q.ty: 1 Code: V0410001
Solution tank draining systemy

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox

Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

*see the spare-parts list

ruby 45t



Theoretical working capacity

1800 m²/h



Walk behind machine
without traction



Battery autonomy
2 - 4 h



Operating tension
24 V / 110 Ah



Cleaning width
450 mm



Solution
tank / recovery tank
40 / 45 l



Disc brush
2 x 235 mm



Brush pressure
adjustable
max. 22,5 kg



Brush speed
350 rpm



Video and other

CODE: K0100011/ak

MODEL: ruby 45t with solenoid valve, with hour meter
without brush, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48901040
Brush NYLON 0.5 Ø235 mm



Q.ty: 2 Code: 48901010
Brush PPL 0.3 Ø235 mm



Q.ty: 2 Code: 48901050
Brush PPL 0.6 Ø235 mm



Q.ty: 2 Code: 48901080
Brush PPL 0.9 Ø235 mm



Q.ty: 2 Code: 48901070
Brush 5-MIX Ø235 mm



Q.ty: 2 Code: 48901060
Brush TYNEX Ø235 mm



Q.ty: 2 Code: 48801010
Pad holder Ø230 mm +
center lock black

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: V0100011
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: V0110100
Kit solution saving system ruby 45

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby

ACCESSORIES

Q.ty: 1 Code: V0100002
Key switch

Q.ty: 1 Code: V0410001
Solution tank draining system

Q.ty: 1 Code: V0113002
Speed adjustment external
system

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox

Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

*see the spare-parts list

ruby 48e



Theoretical working capacity

1700 m²/h



Walk behind machine
without traction



Battery autonomy
...



Operating tension
230 V, 50 Hz



Cleaning width
485 mm



Solution
tank / recovery tank
45 / 45 l



Disc brush
1 x 485 mm




Brush pressure
adjustable
25 kg



Brush speed
180 rpm



Video and other

CODE: K0500301/ 

MODEL: ruby 48e complete with solenoid valve
without brush

Packing costs included

BRUSHES



Q.ty: 1 Code: 48905010
Brush PPL 0.6 Ø485 mm



Q.ty: 1 Code: 48905020
Brush PPL 0.9 Ø485 mm



Q.ty: 1 Code: 48905030
Brush 5-MIX Ø485 mm



Q.ty: 1 Code: 48805020
Pad holder Ø485 mm +
center lock green

BATTERIES

ACCESSORIES

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8205010*
Squeegee assembly
mm.790 inox 33 sh
Machine with V8205010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)
Machine with V8201040
Price + 17€ net

*vedi listino ricambi

ruby 48bl



Theoretical working capacity

1700 m²/h



Walk behind machine
without traction



Battery autonomy
2 - 4 h



Operating tension
24 V / 110 Ah



Cleaning width
485 mm



Solution
tank / recovery tank
40 / 45 l



Disc brush
1 x 485 mm



Brush pressure
adjustable
20 kg



Brush speed
155 rpm



Video and other

CODE: K0100401/

MODEL: ruby 48 bl with solenoid valve, without brush

Packing costs included

BRUSHES



Q.ty: 1 Code: 48905010
Brush PPL 0.6 Ø485 mm



Q.ty: 1 Code: 48905020
Brush PPL 0.9 Ø485 mm



Q.ty: 1 Code: 48905030
Brush 5-MIX Ø485 mm



Q.ty: 1 Code: 48805020
Pad holder Ø485 mm +
center lock green

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: 64602004
Battery recharger
24V-15A PB

Q.ty: 1 Code: V0100011
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox
Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)
Machine with V8201040
Price + 17€ net

Q.ty: 1 Code: V0113010
Hour meter assembly

*see the spare-parts list

ruby 48blt



Theoretical working capacity

1700 m²/h



Walk behind machine with traction



Battery autonomy 2 - 4 h



Operating tension 24 V / 110 Ah



Cleaning width 508 mm



Solution tank / recovery tank 40 / 45 l



Disc brush 1 x 508 mm



Brush pressure adjustable 30 kg



Brush speed 150 rpm



Video and other

CODE: K0100411/ 

MODEL: ruby 48 blt with solenoid valve, without brush

Packing costs included

BRUSHES



Q.ty: 1 Code: 48902010
Brush PPL 0.3 Ø508 mm



Q.ty: 1 Code: 48902050
Brush PPL 0.6 Ø508 mm



Q.ty: 1 Code: 48902020
Brush PPL 0.7 Ø508 mm



Q.ty: 1 Code: 48902030
Brush PPL 0.9 Ø508 mm



Q.ty: 1 Code: 48902060
Brush 5-MIX Ø508 mm



Q.ty: 1 Code: 48902040
Brush TYNEX Ø508 mm



Q.ty: 1 Code: 48802010
Pad holder Ø495 mm + center lock green

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger 24V-12A CBHF1

Q.ty: 1 Code: 64602004
Battery recharger 24V-15A PB

Q.ty: 1 Code: V0100011
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201010*
Squeegee assembly mm.790 inox

Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

Q.ty: 1 Code: V0113020
Hour meter assembly

Q.ty: 1 Code: V0100002
Key switch €

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby

*see the spare-parts list

ruby 48bh 3SD



Theoretical working capacity

2030 m²/h



Walk behind machine with traction



Battery autonomy 2 - 4 h



Operating tension 24 V / 110 Ah



Cleaning width 508 mm



Solution tank / recovery tank 40 / 42 l



Disc brush 1 x 508 mm



Brush pressure adjustable 30 kg



Brush speed 150 rpm



Video and other

CODE: K0100307/

MODEL: ruby 48 bh 3SD with Kit Solution Saving System Dispenser (3SD), solution tank draining system, On-board battery charger, without brush, without battery

Packing costs included

BRUSHES



Q.ty: 1 Code: 48902010
Brush PPL 0.3 Ø508 mm



Q.ty: 1 Code: 48902050
Brush PPL 0.6 Ø508 mm



Q.ty: 1 Code: 48902020
Brush PPL 0.7 Ø508 mm



Q.ty: 1 Code: 48902030
Brush PPL 0.9 Ø508 mm



Q.ty: 1 Code: 48902060
Brush 5-MIX Ø508 mm



Q.ty: 1 Code: 48902040
Brush TYNEX Ø508 mm



Q.ty: 1 Code: 48802010
Pad holder Ø495 mm + center lock green

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: V0100011
On-board battery charger
Included

ACCESSORIES

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8205010*
Squeegee assembly
mm.790 inox

Machine with V8205010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

Q.ty: 1 - **Included**
Kit solution saving system
dispenser

Q.ty: 1 - **Included**
Solution tank draining
system

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO

*see the spare-parts list

ruby 50



Theoretical working capacity

2000 m²/h



Walk behind machine
without traction



Battery autonomy
2 - 4 h



Operating tension
24 V / 110 Ah



Cleaning width
500 mm



Solution
tank / recovery tank
40 / 45 l



Disc brush
1 x 508 mm



Brush pressure
adjustable
max. 30 kg



Brush speed
182 rpm



Video and other

CODE: K0100201/

MODEL: ruby 50 with solenoid valve, with hour meter
without brush, without batteries

Packing costs included

BRUSHES



Q.ty: 1 Code: 48902010
Brush PPL 0.3 Ø508 mm



Q.ty: 1 Code: 48902050
Brush PPL 0.6 Ø508 mm



Q.ty: 1 Code: 48902020
Brush PPL 0.7 Ø508 mm



Q.ty: 1 Code: 48902030
Brush PPL 0.9 Ø508 mm



Q.ty: 1 Code: 48902060
Brush 5-MIX Ø508 mm



Q.ty: 1 Code: 48902040
Brush TYNEX Ø508 mm



Q.ty: 1 Code: 48802010
Pad holder Ø495 mm +
center lock green

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: V0100021
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: V0110110
Kit solution saving system ruby 50

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby

Q.ty: 1 Code: V0100001
Key switch

Q.ty: 1 Code: V0410001
Solution tank draining systemy

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox

Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

*see the spare-parts list

ruby 50t



Theoretical working capacity

2000 m²/h



Walk behind machine with traction



Battery autonomy 2 - 4 h



Operating tension 24 V / 110 Ah



Cleaning width 500 mm



Solution tank / recovery tank 40 / 45 l



Disc brush 1 x 508 mm



Brush pressure adjustable max. 30 kg



Brush speed 182 rpm



Video and other

CODE: K0100211/ 

MODEL: ruby 50t with solenoid valve, with hour meter without brush, without batteries

Packing costs included

BRUSHES



Q.ty: 1 Code: 48902010
Brush PPL 0.3 Ø508 mm



Q.ty: 1 Code: 48902050
Brush PPL 0.6 Ø508 mm



Q.ty: 1 Code: 48902020
Brush PPL 0.7 Ø508 mm



Q.ty: 1 Code: 48902030
Brush PPL 0.9 Ø508 mm



Q.ty: 1 Code: 48902060
Brush 5-MIX Ø508 mm



Q.ty: 1 Code: 48902040
Brush TYNEX Ø508 mm



Q.ty: 1 Code: 48802010
Pad holder Ø495 mm + center lock green

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger 24V-12A CBHF1

Q.ty: 1 Code: V0100021
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: V8201010*
Squeegee assembly mm.790 inox

Machine with V8201010
Price + 51€ net

ACCESSORIES

Q.ty: 1 Code: V0110110
Kit solution saving system ruby 50

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby

Q.ty: 1 Code: V0100002
Key switch

Q.ty: 1 Code: V0410001
Solution tank draining system

Q.ty: 1 Code: V0113002
Speed adjustment external system

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201040*
Squeegee assembly mm.680 Fe (short)

Machine with V8201040
Price + 17€ net
*see the spare-parts list

ruby 55



Theoretical working capacity

1925 m²/h



Walk behind machine
without traction



Operating tension
24 V / 110 Ah



Solution
tank / recovery tank
40 / 45 l



Brush pressure
adjustable
max. 24,5 kg



Battery autonomy
2 - 4 h



Cleaning width
550 mm



Disc brushes
2 x 285 mm



Brushes speed
280 rpm



Video and other

CODE: K0100101/ak

MODEL: ruby 55 with solenoid valve, with hour meter
without brush, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48901140
Brush NYLON 0.5 Ø285 mm



Q.ty: 2 Code: 48901110
Brush PPL 0.3 Ø285 mm



Q.ty: 2 Code: 48901150
Brush PPL 0.6 Ø285 mm



Q.ty: 2 Code: 48901170
Brush PPL 0.9 Ø285 mm



Q.ty: 2 Code: 48901180
Brush 5-MIX Ø285 mm



Q.ty: 2 Code: 48901160
Brush TYNEX Ø285 mm



Q.ty: 2 Code: 48801020
Pad holder Ø280 mm +
center lock black

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: V0100011
On-board battery charger

ACCESSORI

Q.ty: 1 Code: V0110120
Kit solution saving system ruby 55

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby

Q.ty: 1 Code: V0100001
Key switch

Q.tà: 1 Codice: V0410001
Solution tank draining systemy

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox

Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

*see the spare-parts list

ruby 55bh 3SD



Theoretical working capacity

2200 m²/h



Walk behind machine
without traction



Operating tension
24 V / 110 Ah



Solution
tank / recovery tank
40 / 42 l



Brush pressure
adjustable
max. 24,5 kg



Battery autonomy
2 - 4 h



Cleaning width
550 mm



Disc brushes
2 x 285 mm



Brushes speed
280 rpm



Video and other

CODE: K0100117/

MODEL: ruby 55bh 3SD with Kit Solution Saving System Dispenser (3SD),
solution tank draining system, On-board battery charger, without brush, without battery .

Packing costs included

BRUSHES



Q.ty: 2 Code: 48901140
Brush NYLON 0.5 Ø285 mm



Q.ty: 2 Code: 48901110
Brush PPL 0.3 Ø285 mm



Q.ty: 2 Code: 48901150
Brush PPL 0.6 Ø285 mm



Q.ty: 2 Code: 48901170
Brush PPL 0.9 Ø285 mm



Q.ty: 2 Code: 48901180
Brush 5-MIX Ø285 mm



Q.ty: 2 Code: 48901160
Brush TYNEX Ø285 mm



Q.ty: 2 Code: 48801020
Pad holder Ø280 mm +
center lock black

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: V0100011
On-board battery charger
Included

ACCESSORIES

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 - **Included**
Kit solution saving system
dispenser

Q.ty: 1 - **Included**
Solution tank draining
system

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox
**Machine with V8201010
Price + 51€ net**

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)
**Machine with V8201040
Price + 17€ net**

*see the spare-parts list

ruby 55t



Theoretical working capacity

2200 m²/h



Walk behind machine
without traction



Battery autonomy
2 - 4 h



Operating tension
24 V / 110 Ah



Cleaning width
550 mm



Solution
tank / recovery tank
40 / 45 l



Disc brushes
2 x 285 mm



Brush pressure
adjustable
max. 24,5 kg



Brushes speed
280 rpm



Video and other

CODE: K0100111/ 

MODEL: ruby 55t with solenoid valve, with hour meter
without brush, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48901140
Brush NYLON 0.5 Ø285 mm



Q.ty: 2 Code: 48901110
Brush PPL 0.3 Ø285 mm



Q.ty: 2 Code: 48901150
Brush PPL 0.6 Ø285 mm



Q.ty: 2 Code: 48901170
Brush PPL 0.9 Ø285 mm



Q.ty: 2 Code: 48901180
Brush 5-MIX Ø285 mm



Q.ty: 2 Code: 48901160
Brush TYNEX Ø285 mm



Q.ty: 2 Code: 48801020
Pad holder Ø280 mm +
center lock black

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: V0100011
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

ACCESSORIES

Q.ty: 1 Code: V0110120
Kit solution saving system ruby 55

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby

Q.ty: 1 Code: V0100002
Key switch

Q.ty: 1 Code: V0410001
Solution tank draining system

Q.ty: 1 Code: V0113002
Speed adjustment external
system

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox

Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

*see the spare-parts list

ruby 45c



Theoretical working capacity

1670 m²/h



Walk behind machine
without traction



Battery autonomy
2 - 4 h



Operating tension
24 V / 110 Ah



Cleaning width
460 mm



Solution
tank / recovery tank
40 / 45 l



Disc brush
2 x 95 mm



Brush pressure
adjustable
max. 30 kg



Brush speed
950 rpm



Video and other

CODE: K0100021/

MODEL: ruby 45c complete with two cylindrical brushes and solenoid valve
without batteries, with hour meter

Packing costs included

BRUSHES



Q.ty: 2
Code: 48901230
Cylindrical brush
Ø95x462 NYLON 0,3



Q.ty: 2
Code: 48901200
Cylindrical brush
Ø95x462 NYLON 0,6



Q.ty: 2
Code: 48901220
Cylindrical brush
Ø95x462 PPL 0.3



Q.ty: 2
Code: 48901210
Cylindrical brush
Ø95x462 PPL 0.4

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: V0100011
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: V0110140
Kit solution saving system ruby 45c

Q.ty: 1 Code: V0110130
Kit ozone O3 ECO ruby

Q.ty: 1 Code: V0100001
Key switch

Q.ty: 1 Code: V0410001
Solution tank draining system

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V8201010*
Squeegee assembly
mm.790 inox

Machine with V8201010
Price + 51€ net

Q.ty: 1 Code: V8201040*
Squeegee assembly
mm.680 Fe (short)

Machine with V8201040
Price + 17€ net

*see the spare-parts list

jade 50



Theoretical working capacity

2000 m²/h



Walk behind machine with traction



Battery autonomy 3 - 5 h



Operating tension 24 V / 180 Ah



Cleaning width 500 mm



Solution tank / recovery tank 53 / 56 l



Disc brush 1 x 508 mm



Brush pressure adjustable max. 36 kg



Brush speed 165 rpm



Video and other

CODE: K0200001/

MODEL: jade 50 without brush, without batteries

with hour meter, solenoid valve, key switch and brushes motor overload protection device

Packing costs included

BRUSHES



Q.ty: 1 Code: 48902010
Brush PPL 0.3 Ø508 mm



Q.ty: 1 Code: 48902050
Brush PPL 0.6 Ø508 mm



Q.ty: 1 Code: 48902020
Brush PPL 0.7 Ø508 mm



Q.ty: 1 Code: 48902030
Brush PPL 0.9 Ø508 mm



Q.ty: 1 Code: 48902060
Brush 5-MIX Ø508 mm



Q.ty: 1 Code: 48902040
Brush TYNEX Ø508 mm



Q.ty: 1 Code: 48802010
Pad holder Ø495 mm + center lock gree

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64521031
Battery flat elements 12V-120/5Ah

Q.ty: 4 Code: 64512003
Battery elements 3x2V- 180/5 Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger 24V-12A CBHF1

Q.ty: 1 Code: 64602023
Battery recharger 24V-20A CBHD3

Q.ty: 1 Code: V0200001
On-board battery charger jade

ACCESSORIES

Q.ty: 1 Code: V0210100
Kit solution saving system jade 50

Q.ty: 1 Code: V0210150
Kit ozone O3 ECO jade

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V0113002
Assy maximum speed adjustment

Q.ty: 1 Code: V8202010*
Squeegee assembly mm.850 inox

Machine with V8202010
Price + 51€ net

Version for food environments

*see the spare-parts list

jade 55



Theoretical working capacity

2475 m²/h



Walk behind machine with traction



Battery autonomy 3 - 5 h



Operating tension 24 V / 180 Ah



Cleaning width 550 mm



Solution tank / recovery tank 53 / 56 l



Disc brushes 2 x 285 mm



Brushes pressure adjustable max. 32 kg



Brushes speed 370 rpm



Video and other

CODE: K0200101/

MODEL: jade 55 without brushes, without batteries with hour meter, solenoid valve, key switch and brushes motor overload protection device

Packing costs included

BRUSHES



Q.ty: 2 Code: 48901140
Brush NYLON 0.5 Ø285 mm



Q.ty: 2 Code: 48901110
Brush PPL 0.3 Ø285 mm



Q.ty: 2 Code: 48901150
Brush PPL 0.6 Ø285 mm



Q.ty: 2 Code: 48901170
Brush PPL 0.9 Ø285 mm



Q.ty: 2 Code: 48901180
Brush 5-MIX Ø285 mm



Q.ty: 2 Code: 48901160
Brush TYNEX Ø285 mm



Q.ty: 2 Code: 48801020
Pad holder Ø280 mm + center lock black

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64521031
Battery flat elements 12V-120/5Ah

Q.ty: 4 Code: 64512003
Battery elements 3x2V- 180/5 Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger 24V-12A CBHF1

Q.ty: 1 Code: 64602023
Battery recharger 24V-20A CBHD3

Q.ty: 1 Code: V0200001
On-board battery charger jade

ACCESSORIES

Q.ty: 1 Code: V0210110
Kit solution saving system jade 55

Q.ty: 1 Code: V0210150
Kit ozone O3 ECO jade

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V0113002
Assy maximum speed adjustment

Q.ty: 1 Code: V8202010*
Squeegee assembly mm.850 inox

Machine with V8202010
Price + 51€ net

Version for food environments

*see the spare-parts list

jade 66



Theoretical working capacity

3000 m²/h



Walk behind machine with traction



Battery autonomy 3 - 5 h



Operating tension 24 V / 180 Ah



Cleaning width 660 mm



Solution tank / recovery tank 53 / 56 l



Disc brushes 2 x 345 mm



Brushes pressure adjustable max. 50 kg



Brushes speed 200 rpm



Video and other

CODE: K0200201/

MODEL: jade 66 without brushes, without batteries with hour meter, solenoid valve, key switch and brushes motor overload protection device

Packing costs included

BRUSHES



Q.ty: 2 Code: 48903060
Brush NYLON 0.6 Ø345 mm



Q.ty: 2 Code: 48903010
Brush PPL 0.3 Ø345 mm



Q.ty: 2 Code: 48903020
Brush PPL 0.6 Ø345 mm



Q.ty: 2 Code: 48903030
Brush PPL 0.9 Ø345 mm



Q.ty: 2 Code: 48903050
Brush 5-MIX Ø345 mm



Q.ty: 2 Code: 48903040
Brush TYNEX Ø345 mm



Q.ty: 2 Code: 48803010
Pad holder Ø330 mm



Q.ty: 2 Code: 48803030
Pad holder Ø330 mm + center lock green

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64521031
Battery flat elements 12V-120/5Ah

Q.ty: 4 Code: 64512003
Battery elements 3x2V- 180/5 Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger 24V-12A CBHF1

Q.ty: 1 Code: 64602023
Battery recharger 24V-20A CBHD3

Q.ty: 1 Code: V0200003
On-board battery charger jade

ACCESSORIES

Q.ty: 1 Code: V0210120
Kit solution saving system jade 66

Q.ty: 1 Code: V0210150
Kit ozone O3 ECO jade

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V0113002
Assy maximum speed adjustment

Q.ty: 1 Code: V8202010*
Squeegee assembly mm.850 inox

Machine with V8202010
Price + 51€ net

Version for food environments

*see the spare-parts list

jade 50 orbital



Theoretical working capacity

2250 m²/h



Walk behind machine with traction



Battery autonomy
3 - 5 h



Operating tension
24 V / 180 Ah



Cleaning width
500 mm



Solution tank / recovery tank
53 / 56 l



Pad dimension
500 x 350 mm



Brushes pressure adjustable
max. 50 kg



Video and other

CODE: K0200301/

MODEL: jade 50 orbital without pad, without batteries

with hour meter, solenoid valve, key switch and brushes motor overload protection device

Packing costs included

PAD



Q.ty: 1
Code: 49002020
Pad red 500x350



Q.ty: 1
Code: 49002030
Pad green 500x350



Q.ty: 1
Code: 49002040
Pad brown 500x350



Q.ty: 1
Code: 49002050
Pad black 500x350

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64521031
Battery flat elements 12V-120/5Ah

Q.ty: 4 Code: 64512003
Battery elements 3x2V- 180/5 Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: 64602023
Battery recharger
24V-20A CBHD3

Q.ty: 1 Code: V0200003
On-board battery charger jade

ACCESSORIES

Q.ty: 1 Code: V0210150
Kit ozone O3 ECO jade

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

Q.ty: 1 Code: V0113002
Assy maximum speed
adjustment

Q.ty: 1 Code: V8202010*
Squeegee assembly
mm.850 inox
**Machine with V8202010
Price + 51€ net**

Version for food
environments

*see the spare-parts list

opal 66



Theoretical working capacity

2740 m²/h



Walk behind machine
with traction



Battery autonomy
3 - 5 h



Operating tension
24 V / 210 Ah



Cleaning width
685 mm



Solution
tank / recovery tank
75 / 85 l



Disc brushes
2 x 355 mm




Brushes pressure
adjustable
max. 50 kg



Brushes speed
260 rpm



Video and other

CODE: K1400001/ 

MODEL: opal 66 without brushes, without batteries with hour meter, solenoid valve

Packing costs included

BRUSHES



Q.ty: 2 Code: 48914030
Brush PPL 0.6 Ø355 mm



Q.ty: 2 Code: 48914040
Brush PPL 0.9 Ø355 mm



Q.ty: 2 Code: 48914060
Brush 5-MIX Ø355 mm



Q.ty: 2 Code: 48914050
Brush TYNEX Ø355 mm



Q.ty: 2 Code: 48803010
Pad holder Ø330 mm



Q.ty: 2 Code: 48803030
Pad holder Ø330 mm +
center lock green

BATTERIES

Q.ty: 4 Code: 64512001
6V 200Ah5 flat plate battery

Q.ty: 4 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: V1400001
Battery recharger assy opal

Q.ty: 1 Code: 64602002
Battery recharger
24V-30A PB

Q.ty: 1 Code: 64602015
Battery recharger 24V-20A
High freq. GEL

Q.ty: 1 Code: 64602018
Battery recharger 24V-35A
High freq. PB/GEL

ACCESSORIES

Q.ty: 1 Code: V1410100
Kit solution saving System opal

Q.ty: 1 Code: V1410090
Kit ozone O3 ECO opal

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

opal 80



Theoretical working capacity

3140 m²/h



Walk behind machine with traction



Battery autonomy
3 - 5 h



Operating tension
24 V / 210 Ah



Cleaning width
785 mm



Solution tank / recovery tank
75 / 85 l



Disc brushes
2 x 406 mm



Brushes pressure adjustable
max. 50 kg



Brushes speed
260 rpm



Video and other

CODE: K1400101/

Other version: / +

MODEL: opal 80 without brushes, without batteries with hour meter, solenoid valve

Packing costs included

BRUSHES



Q.ty: 2 Code: 48914010
Brush PPL 0.6 Ø406 mm



Q.tà: 2 Code: 48914020
Brush PPL 0.9 Ø406 mm



Q.ty: 2 Code: 48914080
Brush 5-MIX Ø406 mm



Q.ty: 2 Code: 48914070
Brush TYNEX Ø406 mm



Q.ty: 2 Code: 48814010
Pad holder Ø385 mm



Q.ty: 2 Code: 48814020
Pad holder Ø385 mm +
center lock green

BATTERIES

Q.ty: 4 Code: 64512001
6V 200Ah5 flat plate battery

Q.ty: 4 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: V1400001
Battery recharger assy opal

Q.ty: 1 Code: 64602002
Battery recharger
24V-30A PB

Q.ty: 1 Code: 64602015
Battery recharger 24V-20A
High freq. GEL

Q.ty: 1 Code: 64602018
Battery recharger 24V-35A
High freq. PB/GEL

ACCESSORIES

Q.ty: 1 Code: V1410100
Kit solution saving System opal

Q.ty: 1 Code: V1410090
Kit ozone O3 ECO opal

Q.ty: 1 Code: 47610330
Hose water load Ø19x1500

QUARTZ 50



Theoretical working capacity

2032 m²/h



Ride-on machine with traction



Battery autonomy
1.3 - 2 h



Operating tension
24 V / 110 Ah



Cleaning width
508 mm



Solution tank / recovery tank
55 / 80 l



Disc brush
1 x 508 mm




Brushes pressure adjustable
22 kg



Brushes speed
140 rpm



Video and other

CODE: K1700001/ 

MODEL: **QUARTZ 50** without brushes, without batteries

Packing costs included

BRUSHES



Q.ty: 1 Code: 48902010
Brush PPL 0.3 Ø508 mm



Q.ty: 1 Code: 48902050
Brush PPL 0.6 Ø508 mm



Q.ty: 1 Code: 48902020
Brush PPL 0.7 Ø508 mm



Q.ty: 1 Code: 48902030
Brush PPL 0.9 Ø508 mm



Q.ty: 1 Code: 48902060
Brush 5-MIX Ø508 mm



Q.ty: 1 Code: 48902040
Brush TYNEX Ø508 mm



Q.ty: 1 Code: 48802010
Pad holder Ø495 mm + center lock green

BATTERIES

Q.ty: 2 Code: 64521021
12V-110/5Ah tubular batteries

Q.ty: 2 Code: 64521010
Batteries GEL 12V-105/5Ah

Q.ty: 2 Code: 64520040
Batteries AGM 12V-85/5Ah

Q.ty: 2 Code: 64520010
Batteries GEL 12V-77/5Ah

BATTERY CHARGER

Q.ty: 1 Code: 64602001
Battery recharger
24V-12A CBHF1

Q.ty: 1 Code: V1700001
On-board battery charger

ACCESSORIES

Q.ty: 1 Code: V1710020
Kit solution saving System

Q.ty: 1 Code: V1710030
Kit Solution Saving System
Dispenser

Q.ty: 1 Code: V1710040
Kit ozone O3 Eco

Q.ty: 1 Code: V1712010
Kit TELEMATICS

Q.ty: 1 Code: V1511002
Coupling assembly
accessories

Q.ty: 1 Code: V1701010
Assembly trolley hook

*see the spare-parts list

QUARTZ 66



Theoretical working capacity

4110 m²/h



Ride-on machine with traction



Operating tension 24 V / 210 Ah



Solution tank / recovery tank 100 / 106 l



Brushes pressure adjustable max. 57 kg



Battery autonomy 4 - 5 h



Cleaning width 685 mm




Disc brushes 2 x 355 mm



Brushes speed 160 rpm



Video and other

CODE: K1500001/ 

MODEL: **QUARTZ 66** without brushes, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48914030
Brush PPL 0.6 Ø355 mm



Q.ty: 2 Code: 48914040
Brush PPL 0.9 Ø355 mm



Q.ty: 2 Code: 48914060
Brush 5-MIX Ø355 mm



Q.ty: 2 Code: 48914050
Brush TYNEX Ø355 mm



Q.ty: 2 Code: 48803030
Pad holder Ø330 mm + center lock green

BATTERIES

Q.ty: 4 Code: 64512001
6V 200Ah5 flat plate battery

Q.ty: 4 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: V1500001
Battery recharger assy
QUARTZ

Q.ty: 1 Code: 64602002
Battery recharger
24V-30A PB

Q.ty: 1 Code: 64602018
Battery recharger 24V-35A
High freq. PB/GEL

ACCESSORIES

Q.ty: 1 Code: V1512050
Kit TELEMATICS **QUARTZ**

ACCESSORIES

Q.ty: 1 Code: V1510100
Kit solution saving System **QUARTZ**

Q.ty: 1 Code: V1510110
Kit Solution Saving System
Dispenser **QUARTZ**

Q.ty: 1 Code: V1510120
Kit ozone O3 Eco **QUARTZ**

Q.ty: 1 Code: V1511002
Coupling assembly
accessories

Q.ty: 1 Code: V1501001
Assembly trolley hook

Q.ty: 1 Code: 49815200*
Bridge cables kit with
clamps
Included

Q.ty: 1 Code: 49815210*
Battery cables with ring
terminals
*see the spare-parts list

QUARTZ 80



Theoretical working capacity

4710 m²/h



Ride-on machine with traction



Operating tension 24 V / 210 Ah



Solution tank / recovery tank 100 / 106 l



Brushes pressure adjustable max. 57 kg



Battery autonomy 4 - 5 h



Cleaning width 785 mm




Disc brushes 2 x 406 mm



Brushes speed 160 rpm



Video and other

CODE: K1500101/ 

MODEL: **QUARTZ 80** without brushes, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48914010
Brush PPL 0.6 Ø406 mm



Q.ty: 2 Code: 48914020
Brush PPL 0.9 Ø406 mm



Q.ty: 2 Code: 48914080
Brush 5-MIX Ø406 mm



Q.ty: 2 Code: 48914070
Brush TYNEX Ø406 mm



Q.ty: 2 Code: 48814020
Pad holder Ø385 mm + center lock green

BATTERIES

Q.ty: 4 Code: 64512001
6V 200Ah5 flat plate battery

Q.ty: 4 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: V1500001
Battery recharger assy
QUARTZ

Q.ty: 1 Code: 64602002
Battery recharger
24V-30A PB

Q.ty: 1 Code: 64602018
Battery recharger 24V-35A
High freq. PB/GEL

ACCESSORIES

Q.ty: 1 Code: V1512050
Kit TELEMATICS **QUARTZ**

ACCESSORIES

Q.ty: 1 Code: V1510100
Kit solution saving System **QUARTZ**

Q.ty: 1 Code: V1510110
Kit Solution Saving System
Dispenser **QUARTZ**

Q.ty: 1 Code: V1510120
Kit ozone O3 Eco **QUARTZ**

Q.ty: 1 Code: V1511002
Coupling assembly
accessories

Q.ty: 1 Code: V1501001
Assembly trolley hook

Q.ty: 1 Code: 49815200*
Bridge cables kit with
clamps
Included

Q.ty: 1 Code: 49815210*
Battery cables with ring
terminals
*see the spare-parts list

coral 65m



Theoretical working capacity

3300 m²/h



Ride-on machine
with traction



Battery autonomy
3 - 4 h



Operating tension
24 V / 240 Ah



Cleaning width
660 mm



Solution
tank / recovery tank
100 / 105 l



Disc brushes
2 x 345 mm



Brushes pressure
adjustable
max. 60 kg



Brushes speed
190 rpm



Video and other

CODE: K0800101/ 

OTHER VERSIONS: / _D

MODEL: coral 65m without brushes, without batteries, with hour meter

Packing costs included

BRUSHES



Q.ty: 2 Code: 48903020
Brush PPL 0.6 Ø345 mm



Q.ty: 2 Code: 48903030
Brush PPL 0.9 Ø345 mm



Q.ty: 2 Code: 48903050
Brush 5-MIX Ø345 mm



Q.ty: 2 Code: 48903040
Brush TYNEX Ø345 mm



Q.ty: 2 Code: 48803030
Pad holder Ø330 mm +
center lock green

BATTERIES

Q.ty: 1 Code: 64542011
24V 240/5Ah tubular battery

Q.ty: 4 Code: 64512001
6V-200/5Ah flat plate battery

Q.ty: 4 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: V0800001
Battery recharger assy
coral

Q.ty: 1 Code: 64602018
Battery recharger 24V-35A
High freq. PB/GEL

ACCESSORIES

Q.ty: 1 Code: V0810006
Kit solution saving System
coral 65m

Q.ty: 1 Code: V0810010
Kit ozone 3 eco coral

Q.ty: 1 Code: V0612010
Working light assembly

Q.ty: 1 Code: V0612050
Kit TELEMATICS

Q.ty: 1 Code: V0811010
Blinking light assembly

Q.ty: 1 Code: 49808120*
Bridge cables kit with
clamps

*see the spare-parts list

coral 85



Theoretical working capacity

4250 m²/h



Ride-on machine with traction



Battery autonomy 2.5 - 3.5 h



Operating tension 24 V / 240 Ah



Cleaning width 850 mm



Solution tank / recovery tank 100 / 105 l



Disc brushes 2 x 430 mm



Brushes pressure adjustable max. 80 kg



Brushes speed 160 rpm



Video e altro

CODE: K0800201/  OTHER VERSIONS: /  _D

MODEL: coral 85 without brushes, without batteries, with hour meter

Packing costs included

BRUSHES



Q.ty: 2 Code: 48903120
Brush PPL 0.6 Ø430 mm



Q.ty: 2 Code: 48903130
Brush PPL 0.9 Ø430 mm



Q.ty: 2 Code: 48903150
Brush 5-MIX Ø430 mm



Q.ty: 2 Code: 48903140
Brush TYNEX Ø430 mm



Q.ty: 2 Code: 48803050
Pad holder Ø425 mm + center lock green

BATTERIES

Q.ty: 1 Code: 64542011
24V 240/5Ah tubular battery

Q.ty: 4 Code: 64512001
6V-200/5Ah flat plate battery

Q.ty: 4 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: V0800001
Battery recharger assy coral

Q.ty: 1 Code: 64602018
Battery recharger 24V-35A High freq. PB/GEL

ACCESSORIES

Q.ty: 1 Code: V0810008
Kit solution saving System coral 85

Q.ty: 1 Code: V0810010
Kit ozone 3 eco coral

Q.ty: 1 Code: V0612010
Working light assembly

Q.ty: 1 Code: V0612050
Kit TELEMATICS

Q.ty: 1 Code: V0811010
Blinking light assembly

Q.ty: 1 Code: 49808120*
Bridge cables kit with clamps

*see the spare-parts list

coral 70s



Theoretical working capacity

3500 m²/h



Ride-on machine with traction



Battery autonomy 3.5 - 4.5 h



Operating tension 24 V / 240 Ah



Cleaning width 700 mm



Solution tank / recovery tank 100 / 105 l



Cylindrical brush 2 x 150 mm




Brushes pressure adjustable ---



Brushes speed 785 rpm



Video and other

CODE: K0800021/ 

OTHER VERSIONS: / _D

MODEL: coral 70s without batteries, with hour meter, with cylindrical brush

Packing costs included

BRUSHES



Q.ty: 2
Code: 48906100
Cylindrical brush
Ø150x650 PPL 0,3



Q.ty: 2
Code: 48906020
Cylindrical brush
Ø150x650 PPL 0,7
Included



Q.ty: 2
Code: 48906060
Cylindrical brush
Ø150x650 PPL 1



Q.ty: 2
Code: 48906080
Cylindrical brush
Ø150x650 TYNEX

BATTERIES

Q.ty: 1 Code: 64542011
24V 240/5Ah tubular battery

Q.ty: 4 Code: 64512001
6V-200/5Ah flat plate battery

Q.ty: 4 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: V0800001
Battery recharger assy coral

Q.ty: 1 Code: 64602018
Battery recharger 24V-35A
High freq. PB/GEL

ACCESSORIES

Q.ty: 1 Code: V0810005
Kit solution saving System coral 70s

Q.ty: 1 Code: V0810010
Kit ozone 3 eco coral

Q.ty: 1 Code: V0612010
Working light assembly

Q.ty: 1 Code: V0612050
Kit TELEMATICS

Q.ty: 1 Code: V0811010
Blinking light assembly

Q.ty: 1 Code: 49808120*
Bridge cables kit with clamps

*see the spare-parts list

sapphire 85



Theoretical working capacity

5200 m²/h



Ride-on machine with traction



Battery autonomy
4 - 6 h



Operating tension
36 V / 240 Ah



Cleaning width
850 mm



Solution tank / recovery tank
110 / 120 l



Disc brushes
2 x 430 mm



Brushes pressure adjustable
max. 85 kg



Brushes speed
162 rpm



Video and other

CODE: K0600101/  OTHER VERSIONS: / _D

MODEL: sapphire 85 without brushes, without batteries, with hour meter

Packing costs included

BRUSHES



Q.ty: 2 Code: 48903120
Brush PPL 0.6 Ø430 mm



Q.ty: 2 Code: 48903130
Brush PPL 0.9 Ø430 mm



Q.ty: 2 Code: 48903150
Brush 5-MIX Ø430 mm



Q.ty: 2 Code: 48903140
Brush TYNEX Ø430 mm



Q.ty: 2 Code: 48803050
Pad holder Ø425 mm +
center lock green

BATTERIES

Q.ty: 1 Code: 64552021
36V 240/5Ah tubular battery

Q.ty: 6 Code: 64512001
6V-200/5Ah flat plate battery

Q.ty: 6 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: 64603002
Battery recharger
36V-40A Pb

ACCESSORIES

Q.ty: 1 Code: V0610008
Kit solution saving System
sapphire

Q.ty: 1 Code: V0612010
Working light assembly

Q.ty: 1 Code: 49806120*
Bridge cables kit with
clamps

Q.ty: 1 Code: V0610015
Kit ozone 3 eco sapphire

Q.ty: 1 Code: V0612050
Kit TELEMATICS

*see the spare-parts list

sapphire 85s



Theoretical working capacity

5200 m²/h



Ride-on machine with traction



Battery autonomy
4 - 6 h



Operating tension
36 V / 240 Ah



Cleaning width
850 mm



Solution tank / recovery tank
110 / 120 l



Cylindrical brush
2 x 150 mm



Brushes pressure adjustable



Brushes speed
785 rpm



Video and other

CODE: K0600121/  OTHER VERSIONS: /  _D

MODEL: sapphire 85s without batteries, with hour meter with cylindrical brush

Packing costs included

BRUSHES



Q.ty: 2
Code: 48906090
Cylindrical brush
Ø150x800 PPL 0,3



Q.ty: 2
Code: 48906010
Cylindrical brush
Ø150x800 PPL 0,7
Included



Q.ty: 2
Code: 48906050
Cylindrical brush
Ø150x800 PPL 1



Q.ty: 2
Code: 48906070
Cylindrical brush
Ø150x800 TYNEX

BATTERIES

Q.ty: 1 Code: 64552021
36V 240/5Ah tubular battery

Q.ty: 6 Code: 64512001
6V-200/5Ah flat plate battery

Q.ty: 6 Code: 64512002
6V-210Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: 64603002
Battery recharger
36V-40A Pb

ACCESSORIES

Q.ty: 1 Code: V0610008
Kit solution saving System sapphire

Q.ty: 1 Code: V0612010
Working light assembly

Q.ty: 1 Code: 49806120*
Bridge cables kit with clamps

Q.ty: 1 Code: V0610015
Kit ozone 3 eco sapphire

Q.ty: 1 Code: V0612050
Kit TELEMATICS

*see the spare-parts list



Theoretical working capacity

6750 m²/h



Ride-on machine with traction



Battery autonomy
3,5 - 4,5 h



Operating tension
36 V / 320 Ah



Cleaning width
900 mm



Solution tank / recovery tank
180 / 190 l



Disc brushes
2 x 460 mm



Brushes pressure adjustable
max. 140 kg



Brushes speed
162 rpm



Video and other

CODE: K1600001/ 

MODEL: **TOPAZ 90** without brushes, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48916010
Brush PPL 0.3 Ø460mm



Q.ty: 2 Code: 48916020
Brush PPL 0.6 Ø460 mm



Q.ty: 2 Code: 48916030
Brush PPL 1 Ø460 mm



Q.ty: 2 Code: 48916050
Brush 5-MIX Ø460 mm



Q.ty: 2 Code: 48916040
Brush TYNEX Ø460 mm



Q.ty: 2 Code: 48816020
Pad holder Ø460 mm +
center lock green

BATTERIES

Q.ty: 1 Code: 64553011
36V 320/5Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: 64603003
Battery recharger 36V 40A
High Freq. Pb

ACCESSORIES

Q.ty: 1 Code: V1610010
Kit solution saving System **TOPAZ**

Q.ty: 1 Code: V1511002
Coupling assembly
accessories

Q.ty: 1 Code: V1612050
Kit TELEMATICS **TOPAZ**

TOPAZ 85s



Theoretical working capacity

6375 m²/h



Ride-on machine with traction



Battery autonomy 3,5 - 4,5 h



Operating tension 36 V / 320 Ah



Cleaning width 850 mm



Solution tank / recovery tank 180 / 190 l



Cylindrical brush 2 x 150 mm




Brushes pressure adjustable



Brushes speed 785 rpm



Video and other

CODE: K1600021/ 

MODEL: **TOPAZ 85s** without batteries, with hour meter with cylindrical brush and side brush

Packing costs included

BRUSHES



Q.ty: 2
Code: 48906090
Cylindrical brush
Ø150x800 PPL 0,3



Q.ty: 2
Code: 48906010
Cylindrical brush
Ø150x800 PPL 0,7
Included



Q.ty: 2
Code: 48906050
Cylindrical brush
Ø150x800 PPL 1



Q.ty: 2
Code: 48906070
Cylindrical brush
Ø150x800 TYNEX

Side brush



Q.ty: 1
Code: 48916100
Brush long bristles
Ø500 PPL 0,6 black
Included

Q.ty: 1 Code: 64553011
36V 320/5Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: 64603003
Battery recharger 36V 40A
High Freq. Pb

ACCESSORIES

Q.ty: 1 Code: V1610010
Kit solution saving System **TOPAZ**

Q.ty: 1 Code: V1511002
Coupling assembly accessories

Q.ty: 1 Code: V1612050
Kit **TELEMATICS TOPAZ**

diamond 100p AC



Theoretical working capacity

7000 m²/h



Ride-on machine with traction



Battery autonomy 5 - 7 h



Operating tension 36 V / 500 Ah



Cleaning width 1000 mm



Solution tank / recovery tank 235 / 250 l



Disc brushes 2 x 508 mm



Brushes pressure adjustable max. 160 kg



Brushes speed 162 rpm



Video and other

CODE: K0700201/

MODEL: diamond 100p AC without brushes, without batteries

Packing costs included

BRUSHES



Q.ty: 2 Code: 48902050
Brush PPL 0.6 Ø508 mm



Q.ty: 2 Code: 48902020
Brush PPL 0.7 Ø508 mm



Q.ty: 2 Code: 48902030
Brush PPL 0.9 Ø508 mm



Q.ty: 2 Code: 48907010
Brush PPL 1 Ø508 mm



Q.ty: 2 Code: 48902060
Brush 5-MIX Ø508 mm



Q.ty: 2 Code: 48902040
Brush TYNEX Ø508 mm



Q.ty: 2 Code: 48802010
Pad holder Ø495 mm + center lock green

BATTERIES

Q.ty: 1 Code: 64555011
36V 500/5Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: 64603003
Battery recharger 36V 40A
High Freq. Pb

ACCESSORIES

Q.ty: 1 Code: V0710006
Kit solution saving system diamond

Q.ty: 1 Code: V0711030
Kit safety belt diamond

Q.ty: 1 Code: V0711010
Working lights kit

Q.ty: 1 Code: 49807180*
Bridge cables kit with clamps

Q.ty: 1 Code: V0710008
Kit ozone 3 eco diamond

Q.ty: 1 Code: V0712050
Kit TELEMATICS diamond

*see the spare-parts list

diamond 130



Theoretical working capacity

9100 m²/h



Ride-on machine with traction



Battery autonomy 5 - 7 h



Operating tension 36 V / 500 Ah



Cleaning width 1300 mm



Solution tank / recovery tank 235 / 250 l



Disc brushes 4 x 355 mm



Brushes pressure adjustable max. 165 kg



Brushes speed 165 rpm



Video e altro

CODE: K0700301/ 

MODEL: diamond 130 without brushes, without batteries

Packing costs included

BRUSHES



Q.ty: 4 Code: 48914030
Brush PPL 0.6 Ø355 mm



Q.ty: 4 Code: 48914040
Brush PPL 0.9 Ø355 mm



Q.ty: 4 Code: 48914060
Brush 5-MIX Ø355 mm



Q.ty: 4 Code: 48914050
Brush TYNEX Ø355 mm



Q.ty: 4 Code: 48803030
Pad holder Ø330 mm + center lock green

BATTERIES

Q.ty: 1 Code: 64555011
36V 500/5Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: 64603003
Battery recharger 36V 40A High Freq. Pb

ACCESSORIES

Q.ty: 1 Code: V0711030
Kit safety belt diamond

Q.ty: 1 Code: V0711010
Working lights kit

Q.ty: 1 Code: 49807180*
Bridge cables kit with clamps

Q.ty: 1 Code: V0710008
Kit ozone 3 eco diamond

Q.ty: 1 Code: V0712050
Kit TELEMATICS diamond

*see the spare-parts list

diamond 100s AC



Theoretical working capacity

7000 m²/h



Ride-on machine with traction



Battery autonomy
5 - 7 h



Operating tension
36 V / 500 Ah



Cleaning width
1000 mm



Solution tank / recovery tank
235 / 250 l



Cylindrical brush
1 x 150 mm
1 x 280 mm



Brushes pressure adjustable



Brushes speed
933 rpm
500 rpm



Video and other

CODE: K0700221/

MODEL: diamond 100s AC with cylindrical brush

Packing costs included

BRUSHES



Q.ty: 1
Code: 48907050
Cylindrical brush
Ø150x990 PPL 0,5
Included



Q.ty: 1
Code: 48907060
Cylindrical brush
Ø150x980 PPL 1
Included



Q.ty: 1
Code: 48907080
Cylindrical brush
Ø150x980 TYNEX



Q.ty: 1
Code: 48907090
Cylindrical brush
Ø150x980 TYNEX
light

Side brush



Q.ty: 1
Code: 48907100
BrushPPL 0.9
Ø285 mm

BATTERIES

Q.ty: 1 Code: 64555011
36V 500/5Ah tubular battery

BATTERY CHARGER

Q.ty: 1 Code: 64603003
Battery recharger 36V 40A
High Freq. Pb

ACCESSORIES

Q.ty: 1 Code: V0710005
Kit solution saving system diamond

Q.ty: 1 Code: V0711030
Kit safety belt diamond

Q.ty: 1 Code: V0711010
Working lights kit

Q.ty: 1 Code: 49807180*
Bridge cables kit with
clamps

Q.ty: 1 Code: V0710008
Kit ozone 3 eco diamond

Q.ty: 1 Code: V0712050
Kit TELEMATICS diamond

*see the spare-parts list



Via Monte Pastello, 14 • 37057 San Giovanni Lupatoto (VR) • T. +39 045 8779086 • F. +39 045 8779195